

Minutes of 118th meeting of KCZMA held on 16th December 2021, in virtual mode at 11.30 am.

Dr.Venu V. IAS, Additional Chief Secretary to Government, Environment Department, and Chairman of KCZMA chaired the meeting.

The list of participants is as follows:

1. Sri Suneel Pamidi, IFS, Member Secretary, KCZMA
2. Dr P.K.Thulasidas, Member (Expert) KCZMA
3. Dr. Dineshan Cheruvat, Member (Expert) KCZMA
4. Smt Amrutha Satheshan, Member (Expert) KCZMA.
5. Dr. C.P.Geevan, Member (NGO), KCZMA
6. Smt Lizy Mol. E. Deputy Secretary LSGD.
7. Smt Sheeja R.S, Deputy Secretary, Industries Department.
8. Smt Mini.M, Additional Secretary, Revenue Department.
9. Sri Binu Kumar, Joint Secretary KCZMA.

Agenda Item No: 118.01.01

File No: 159/A1/2021/KCZMA

Integrated Urban Regeneration and Water Transport System (IURWTS) by Mr Ajith A Nair, Additional General Manager, Kochi Metro Rail Ltd, Corporate Office, JLN Metro Station, 4th floor, Kaloor, Ernakulam-682017.

Decision: The project proponent has submitted the revised Form I application and Revised DPR. However, other mandatory documents viz. EIA Report, Disaster Management Report, CRZ map indicating HTL and LTL in 1:4000 scale, Hydraulic modeling and Flood Plain Study Report, etc. are not revised in tune with the revised DPR. The project proponent is directed to revise all the documents as per the revised DPR and resubmit. The Project Proponent is also directed to make a presentation in the forthcoming meeting of KCZMA regarding the Project.

Agenda Item No.118.01.02

File No: 1209/A2/2020/KCZMA

CRZ Clearance for Deepening and Desilting in JaivaVypin Project area
(Veeranpuzha and Nine Canals) by Kerala Land Development Cooperation Limited,
Alappuzha – Reg.

Decision: The project proponent has presented the revised dredging and disposal plan.
The project is approved with the following conditions:

- The dredged material should be used only to decrease of water depth of Pokkali fields to make them suitable for Pokkali cultivation. An undertaking shall be submitted by the project proponent and Secretary, Kadamakudy Grama Panchayat in this regard and to the effect that the dredged material will not be used for reclamation.
- Mangroves in the vicinity of the project area should not be disturbed.
- Compliance report shall be submitted every 6 months by the Project proponent to KCZMA.

The committee observed that the NOC from PCB is valid only up to 03.03.2021.

The meeting ended at 2.00 PM with a vote of thanks to the chair.
